

# LYME IMBALANCE PROTOCOL

## **Please Note:**

The government does not permit us to use certain words like “disease,” “cure,” or “symptoms” etc. Therefore, throughout these instructions we use the words imbalance, problem or issue.

---

There is no magic bullet for Lyme related problems, only building an immune response to the problems. You can put the problems into remission for a period of time. However, the problems will return. When the problems return you must revisit one of the three Lyme Imbalance protocols. Lyme problems regularly come and go as part of how this malady operates. The remissions will become longer and longer, and the return of the problems will be shorter and shorter. Management may be needed for three to five years.

---

**Please note:** If symptoms become worse, seek medical attention. Do not stop taking any medicine your doctor has advised you to take. Nothing in this statement has been approved by the FDA. This product is not intended to diagnose, treat, cure or prevent disease.

---

**Following are three different “styles” for addressing the Lyme Imbalance. As follows:**

### **STYLE 1: FOR PREVENTION**

Use New Tick Bite Balance I or the 6C potency from the New Tick Bite Balance Bulk Kit.

This can be used as an initial preventative.

Use once a day for five days and once a week thereafter during tick season.

---

### **STYLE 2: EARLY STAGE TREATMENT**

Use New Tick Bite Balance II or the “F” potency from the New Tick Bite Balance Bulk Kit.

Use four times a day for four days if bitten.

If not better see a Doctor or try New Tick Bite Balance Bulk Kit for Long Term Lyme problems.

---

### **STYLE 3: FOR LONG TERM LYME IMBALANCE**

1. Write down in a log, how the Lyme problems have affected you. Make it simple.

---

2. Take New Tick Bite Balance “6C” potency from the New Tick Bite Balance Bulk Kit.

a. Take it two times a day for 1 week.

b. Then, rest for one week, take no remedies.

---

3. Re-assess Lyme problems from your log.

a. If better, stop all remedies until problems return.

b. If not better repeat Step 2 above.

---

4. If, after repeating step 2, a second time, and your problems have not improved, then you need to use the next stronger potency from the New Tick Bite Balance Bulk Kit.  
(6C, 30C, F, 200C, 1M, 10M, 50M)
- 

5. Re-assess symptoms, If not better once again, go one step stronger. If better stop taking remedies. If problems return, continue with the strength you stopped at.
- 

See a Doctor if symptoms worsen.

---